



**DEPO-PROVERA 150**  
Sterile Aqueous Suspension

# PATIENT INFORMATION PRESENTATION





This woman has just made an important decision.


She has decided to use a contraceptive to keep from getting pregnant.







2




SAFE PROTECTION

She has heard that there are different methods and wonders which contraceptive will give the best protection and be safe for her health.

She went to the clinic to ask questions and learn about the different contraceptives.





**SAFE PROTECTION**




3



DEPO-PROVERA<sup>®</sup> 150

Listen to the questions and answers  
and you will learn why she and  
many other women chose the  
contraceptive **Depo-Provera<sup>®</sup> 150**.





# DEPO-PROVERA<sup>®</sup> 150



4



CAN I TRUST DEPO-PROVERA™ 150?

Will **Depo-Provera™ 150** protect  
against pregnancy?





**CAN I TRUST DEPO-PROVERA<sup>®</sup> 150?**



5



YOU WILL *NOT* GET PREGNANT

While no contraceptive is 100% effective, **Depo-Provera™** 150 will keep you protected. In fact, no other contraceptive is better.





**YOU WILL NOT GET PREGNANT**



6




25 YEARS' EXPERIENCE

Has this contraceptive been used by many women? Is it new?

**Depo-Provera™ 150** has been protecting thousands of women for more than 25 years.





**25 YEARS' EXPERIENCE**



7



INJECTION

How do I take the drug?

**Depo-Provera<sup>™</sup> 150** is not a pill.  
It is given as an injection  
into a muscle.





**INJECTION**



8



How will this affect my body?








9



NO EGG

**Depo-Provera™ 150** prevents the release and growth of the monthly egg in your body.





**NO EGG**



10



NO EGO NO SPEUM

**Depo-Provera<sup>™</sup> 150** also causes a barrier of mucus to form across the opening of the womb so that male sperm cells cannot move through this passage.





**NO EGG NO SPERM**



11



NO EGG NO SPERM NO BABY

**Depo-Provera** 150 also causes changes in the womb that make it a place a baby cannot grow.





**NO EGG NO SPERM NO BABY**



12



How long will the protection last?







13



3 MONTHS

An injection of **Depo-Provera™ 150** will protect you for 3 months.

To continue this protection, you must get an injection every 3 months.

As long as you are healthy, you can get an injection every 3 months.





3 MONTHS





What if I am breast feeding  
(nursing a baby)?

**Depo-Provera<sup>™</sup> 150** will not interfere with the nursing of your baby. In fact, some women have experienced an increase in the flow of milk.







15




BLEEDING

Will there be other changes  
in my body?

It will probably cause changes in  
your period. Bleeding may be  
heavier or less than usual. Bleeding  
may stop completely. This is not bad  
for your health.





# BLEEDING




16



HEADACHE

**You may get a headache.**





**HEADACHE**




17



CRAMPS

**You may feel cramping in  
your stomach.**





**CRAMPS**



18



WEIGHT

There will be no change in weight for most women. Some women do gain weight. A few lose weight.





**WEIGHT**



19



When should I get my  
first injection?








20




The first injection must be given during the first 5 days of your normal period or before the 4th week after giving birth. When administered at this time, **Depo-Provera<sup>®</sup> 150** will provide maximum protection within 4 to 5 days.








21



If I stop taking injections, how long will it be before I can get pregnant?








22



6 TO 8 MONTHS

Most women will have to wait 6 to 8 months before they can become pregnant. In a few cases it can take 2 years or longer.





**6 TO 8 MONTHS**




23




Are there times when  
**Depo-Provera** 150 should  
***NOT*** be taken?








24



Do not take this contraceptive if you are pregnant or **THINK** you are pregnant.

Do not take this contraceptive if bleeding during your period is not normal.







25




Tell us if you have any serious medical problems such as genital or breast cancers, stroke, heart attack, blood clots, or liver dysfunction or disease.







26




With **Depo-Provera**<sup>™</sup> 150 you will not have to remember to take pills.








27



A contraceptive device will not be put into your body.







28



EVERY 3 MONTHS

**You must remember to get an  
injection every 3 months to provide  
continuous protection!**





**EVERY 3 MONTHS**



29



FOUR TIMES A YEAR

**Your health professional will see  
you four times each year.**





**FOUR TIMES A YEAR**



30



He/she will check to see that your health is good.







31



DEPO-PROVERA<sup>®</sup> 150

**Depo-Provera<sup>®</sup> 150** is a safe and sure protection against pregnancy.





# DEPO-PROVERA 150



# DEPO-PROVERA 150

אנדרוגן אקטיוואטור דיאקאסטרויל

## Indications

אונדערשטעמט ווי א פארוואנדלונג פון אקטיוואטור דיאקאסטרויל צו א פארוואנדלונג פון אקטיוואטור דיאקאסטרויל צו א פארוואנדלונג פון אקטיוואטור דיאקאסטרויל.

## Precautionary Statements

אונדערשטעמט ווי א פארוואנדלונג פון אקטיוואטור דיאקאסטרויל צו א פארוואנדלונג פון אקטיוואטור דיאקאסטרויל צו א פארוואנדלונג פון אקטיוואטור דיאקאסטרויל.

Beffore using Depo-Provera, the patient's physician should be advised of all current and past medical conditions, including all medications, and all allergies. A physician should be advised of all current and past medical conditions, including all medications, and all allergies.

Before using Depo-Provera, the patient's physician should be advised of all current and past medical conditions, including all medications, and all allergies. A physician should be advised of all current and past medical conditions, including all medications, and all allergies.

Contraindications and precautions should be observed when using Depo-Provera. Contraindications and precautions should be observed when using Depo-Provera.

Contraindications and precautions should be observed when using Depo-Provera. Contraindications and precautions should be observed when using Depo-Provera.

Contraindications and precautions should be observed when using Depo-Provera. Contraindications and precautions should be observed when using Depo-Provera.

## Dosage and Administration

Contraindications and precautions should be observed when using Depo-Provera. Contraindications and precautions should be observed when using Depo-Provera.

Contraindications and precautions should be observed when using Depo-Provera. Contraindications and precautions should be observed when using Depo-Provera.

Contraindications and precautions should be observed when using Depo-Provera. Contraindications and precautions should be observed when using Depo-Provera.

Contraindications and precautions should be observed when using Depo-Provera. Contraindications and precautions should be observed when using Depo-Provera.

Contraindications and precautions should be observed when using Depo-Provera. Contraindications and precautions should be observed when using Depo-Provera.



The Upjohn Company  
Kalamazoo, MI 49001, USA

© 2012 Upjohn Company. All rights reserved.

11/12/12