

To the Medical Profession.

"OVICONES"

(Registered Trade Mark)

COOPER, SON & Co. Ltd.

"Ovicones" were introduced by us as an improved form of Vaginal Pessary and are prepared with Glycerinated Gelatin or Theobroma Oil basis.

"Ovicones" form a convenient means of administering drugs in Gynæcological practice, as they slowly dissolve in contact with the mucous membrane, they produce a continuous action of the medication on the parts, and will be found useful in cases of laceration, inflammation, leucorrhœa, etc.

The following is a general list of "Ovicones," but any formula can be prepared according to the Physician's prescription.

"OVICONES"

(Registered Trade Mark)


No.	Medicament.	Strength.	Therapeutic Action.
1	Alum	15 grains	.. in leucorrhœa.
2	Apiol	5 minims	.. to relieve amenorrhœa.
3	Aristol	5-10 grains	.. antiseptic.
4	Atropine	1-20th grain	.. stimulant.
5	Belladonna Extract..	1 grain	.. sedative in dysmenorrhœa.
6	Bismuth Oxychloride	10 & 20 grains	mild astringent in leucorrhœa.
7	Boric Acid	15 grains	.. soothing.
8	Boroglyceride	70 grains	.. soothing.
9	Carbolic Acid	$\frac{1}{2}$ grain	.. antiseptic.
10	Chloral Hydrate	10 grains	.. sedative.
11	Cocaine Hydrochloride	$\frac{1}{4}$, $\frac{1}{2}$ & 1 grain	local anæsthetic.
12	Cocaine Hydrochloride with Adrenalin	1 grain 1-500 grain	.. anæsthetic and .. astringent.
13	Copper Oleate	5 grains	.. in malignant disease.
14	Ergot Extract	2 grains	.. astringent.
15	Glycerin	70%	.. soothing.
16	Hamamelis Liquid Extract	10 minims	.. antihæmorrhagic.

"OVICONES"

(Registered Trade Mark)

No.	Medicament.	Strength.	Therapeutic Action.
17	Ichthyol	5, 10 & 12 $\frac{1}{2}$ % ..	in ulceration. Anti-septic & stimulant.
18	Iodine Tincture	10%	astringent & antiseptic.
19	Iodoform	5, 10 & 15 grains	antiseptic.
20	Iodol	2 grains	.. antiseptic.
21	Lead Iodide	5 grains	.. astringent.
22	Lead Iodide with Atropine	5 grains 1-20th grain	.. astringent and .. sedative.
23	Morphine Hydrochloride	$\frac{1}{4}$ & $\frac{1}{2}$ grain	.. anodyne.
24	Opium Powder	1, 2 & 3 grains	sedative.
25	Potassium Bromide..	10 grains	.. sedative.
26	Quinine Bihydrochloride	5%	in leucorrhœa.
27	Tannic Acid	10 grains	.. astringent.
28	Tannic Acid with Morphine	10 grains 1 grain	.. astringent and .. sedative.
29	Zinc Oxide	10 & 15 grains	sedative.
30	Zinc Sulphocarbolate	5 & 10 grains..	astringent & antiseptic.

31 Bidargol 2%



"Ovicones" are most suitably used at bedtime, and should be inserted as far as possible whilst the patient is in the supine position with the hips raised. A sanitary towel or pad should be worn.

"Ovicones" for hot climates are prepared with a base of higher melting point, so that they are of slightly harder consistence.

"Ovicones" weigh approximately two drachms.

Prepared only by

COOPER, SON & Co. Ltd.
Chemists,

24, Sloane Street,
London,
S.W.1.

80, Gloucester Road,
South Kensington
London, S.W.

Telephone: Sloane 4243.

Telephone: Western 03

Established 1863.

